

Endoderm differentiation kit (Qk513)



Type: Growth factor discovery kits

Available for purchase: Qk513: Endoderm differentiation kit

Buy online with secure credit card or purchase order.

[View this product and buy online](#)

Product Information

For validating the ability of new or established induced pluripotent stem cell (iPSC) lines to differentiate into the endoderm lineage.

The endoderm differentiation kit is designed to validate the differentiation potential of both newly derived and established iPSC lines. This kit enables the evaluation of the ability of iPSCs to differentiate into the endoderm lineage, one of the three primary germ layers responsible for forming the respiratory and digestive systems, as well as organs such as the liver, pancreas, and intestines.

The kit includes carefully optimized growth factors and extracellular matrix required to efficiently guide iPSCs toward the endoderm lineage. It serves as both an endpoint assay, confirming pluripotency and lineage commitment, and a platform for generating endoderm-derived cells for further downstream applications.

Each kit is sufficient for differentiation of 5x 96 well plates.

Species reactivity

- human

Product Information

- >98%, by SDS-PAGE quantitative densitometry
- Animal origin-free (AOF) and carrier protein-free
- Expressed in *E. coli*
- Bioactivity Guaranteed

- Manufactured in our Cambridge, UK laboratories
- Lyophilized

Reconstitution instructions

- Discovery kits

Featured applications

- Differentiation of human pluripotent stem cells towards extra-embryonic endoderm, mesenchymal, neural lineages, and chondrocytes
- Differentiation of iPSC into endoderm

Further quality assays

- Mass spectrometry: single species with expected mass
- Recovery from stock vial: >95%
- Endotoxin: <0.05 EU/μg protein

Scientific Information

Bioactivity

Human activin A - Qk001 - 25 µg

Frequently used to maintain pluripotency in induced pluripotent and embryonic stem cell cultures. It is also used in many stem cell differentiation protocols, including endoderm lineage differentiation and further maturation into hepatocyte and pancreatic cells.

Human BMP-4 - Qk038 - 25 µg


A key regulator of embryogenesis and supports the differentiation of embryonic stem cells and induced [pluripotent](#) stem cells.

Human FGF2-G3 (154 aa) - Qk053 - 50 µg

A thermostable engineered form of human FGF-2. Human FGF2-G3 154 aa is the 154 aa mature domain of FGF-2. The functional half-life has increased from <10 h (wild-type) to >7 days (FGF2-G3).


Human vitronectin - Qk120 - 500 µg

Provides a defined environment that supports the maintenance of [pluripotency](#) and is suitable for feeder-free culture, expansion, differentiation, and reprogramming of stem cells.



Purity

Immunocytochemistry of endoderm markers in differentiated iPSC. SRY-box transcription factor 17 (SOX17) [Green, A], Hoechst 33258 [Blue, B], combined SOX17 and Hoechst [C] and transcription factor GATA4 [Green, D], Hoechst 33258 [Blue, E], combined GATA4 and Hoechst [F]. Images were acquired using the tile functionality of the Zeiss LSM 980 with Airyscan2 at 10x magnification. iPSC differentiated using endoderm differentiation kit (Qk513).



[Application note | Differentiation of induced pluripotent stem cells \(iPSCs\) into endoderm](#)

Original product page: <https://ryan.calliope-alpha.ts.net/product/endoderm-differentiation-discovery-kit-qk513/>

PDF generated: 12 May 2026

Copyright © 2026 by Qkine Ltd. All rights reserved including graphics and images.